

# Compression Springs



FLEXO STOCK NUMBER	Range	METRIC UNITS						IMPERIAL UNITS						No of Coils	PRICE BAND
		Outside Dia.	Inside Dia.	Free Lth.	Wire Size	Solid Lth.	Rate	Outside Dia.	Inside Dia.	Free Lth.	Wire Size	Solid Lth.	Rate		
		mm	mm	mm	mm	mm	N/mm	inches	inches	inches	inches	inches	Lbs/in		
M165108	B 7	8.0	6.2	40.0	0.91	15.8	1.27	0.315	0.243	1.575	0.036	0.621	7.3	17.3	D
M165308	B 7	8.0	6.0	40.0	1.02	18.5	1.91	0.315	0.235	1.575	0.040	0.730	10.9	18.3	D
M165508	B 7	8.0	5.8	40.0	1.12	21.0	2.86	0.315	0.227	1.575	0.044	0.827	16.3	18.8	D
112814	B 7	8.2	6.8	44.5	0.71	9.8	0.51	0.323	0.267	1.750	0.028	0.385	2.9	13.8	C
112914	B 7	8.0	6.4	44.5	0.81	11.6	0.95	0.315	0.251	1.750	0.032	0.456	5.4	14.3	C
113014	B 7	8.1	6.3	44.5	0.91	13.5	1.46	0.319	0.247	1.750	0.036	0.531	8.3	14.8	D
113114	B 7	8.2	6.2	44.5	1.02	15.5	2.15	0.323	0.243	1.750	0.040	0.610	12.3	15.3	D
113214	B 7	8.0	5.6	44.5	1.22	20.1	4.84	0.315	0.219	1.750	0.048	0.792	27.6	16.5	D
113314	B 7	8.2	5.4	44.5	1.42	25.2	8.26	0.323	0.211	1.750	0.056	0.994	47.2	17.8	E
B7-5034-2M	B 7	8.0	6.6	50.0	0.71	11.5	0.46	0.315	0.259	1.969	0.028	0.453	2.6	16.2	D
M164910	B 7	8.0	6.4	50.0	0.81	16.1	0.66	0.315	0.251	1.969	0.032	0.632	3.8	19.8	D
M165110	B 7	8.0	6.2	50.0	0.91	19.4	1.01	0.315	0.243	1.969	0.036	0.765	5.8	21.3	D
M165310	B 7	8.0	6.0	50.0	1.02	22.9	1.51	0.315	0.235	1.969	0.040	0.900	8.6	22.5	D
M165510	B 7	8.0	5.8	50.0	1.12	26.0	2.25	0.315	0.227	1.969	0.044	1.025	12.9	23.3	D
112816	B 7	8.2	6.8	50.8	0.71	11.0	0.45	0.323	0.267	2.000	0.028	0.434	2.6	15.5	D
112916	B 7	8.0	6.4	50.8	0.81	13.0	0.83	0.315	0.251	2.000	0.032	0.512	4.8	16.0	D
113016	B 7	8.1	6.3	50.8	0.91	15.1	1.29	0.319	0.247	2.000	0.036	0.594	7.3	16.5	D
113116	B 7	8.2	6.2	50.8	1.02	17.3	1.90	0.323	0.243	2.000	0.040	0.680	10.8	17.0	D
113216	B 7	8.0	5.6	50.8	1.22	22.6	4.25	0.315	0.219	2.000	0.048	0.888	24.3	18.5	D
113316	B 7	8.2	5.4	50.8	1.42	28.4	7.23	0.323	0.211	2.000	0.056	1.120	41.3	20.0	E
M164912	B 7	8.0	6.4	60.0	0.81	19.1	0.54	0.315	0.251	2.362	0.032	0.752	3.1	23.5	D
M165112	B 7	8.0	6.2	60.0	0.91	23.1	0.84	0.315	0.243	2.362	0.036	0.909	4.8	25.3	D
M165312	B 7	8.0	6.0	60.0	1.02	27.2	1.25	0.315	0.235	2.362	0.040	1.070	7.2	26.8	D
M165512	B 7	8.0	5.8	60.0	1.12	31.1	1.86	0.315	0.227	2.362	0.044	1.224	10.6	27.8	E
112820	B 7	8.2	6.8	63.5	0.71	13.5	0.35	0.323	0.267	2.500	0.028	0.532	2.0	19.0	D
112920	B 7	8.0	6.4	63.5	0.81	15.9	0.67	0.315	0.251	2.500	0.032	0.624	3.8	19.5	D
113020	B 7	8.1	6.3	63.5	0.91	18.5	1.02	0.319	0.247	2.500	0.036	0.729	5.8	20.3	D
113120	B 7	8.2	6.2	63.5	1.02	21.3	1.50	0.323	0.243	2.500	0.040	0.840	8.6	21.0	D
113220	B 7	8.0	5.6	63.5	1.22	27.7	3.38	0.315	0.219	2.500	0.048	1.092	19.3	22.8	E
113320	B 7	8.2	5.4	63.5	1.42	34.8	5.78	0.323	0.211	2.500	0.056	1.372	33.0	24.5	E
M164914	B 7	8.0	6.4	70.0	0.81	22.0	0.47	0.315	0.251	2.756	0.032	0.864	2.7	27.0	D
M165114	B 7	8.0	6.2	70.0	0.91	26.7	0.71	0.315	0.243	2.756	0.036	1.053	4.1	29.3	D
M165314	B 7	8.0	6.0	70.0	1.02	31.5	1.07	0.315	0.235	2.756	0.040	1.240	6.1	31.0	E
M165514	B 7	8.0	5.8	70.0	1.12	36.1	1.58	0.315	0.227	2.756	0.044	1.422	9.0	32.3	E
112824	B 7	8.2	6.8	76.2	0.71	16.0	0.29	0.323	0.267	3.000	0.028	0.630	1.7	22.5	D
112924	B 7	8.0	6.4	76.2	0.81	18.7	0.56	0.315	0.251	3.000	0.032	0.736	3.2	23.0	D
113024	B 7	8.1	6.3	76.2	0.91	21.9	0.85	0.319	0.247	3.000	0.036	0.864	4.8	24.0	D
113124	B 7	8.2	6.2	76.2	1.02	25.1	1.25	0.323	0.243	3.000	0.040	0.990	7.2	24.8	E
113224	B 7	8.0	5.6	76.2	1.22	32.9	2.81	0.315	0.219	3.000	0.048	1.296	16.0	27.0	E
113324	B 7	8.2	5.4	76.2	1.42	41.6	4.78	0.323	0.211	3.000	0.056	1.638	27.3	29.3	F
B9-2734-2M	B 9	8.8	7.4	12.7	0.71	3.4	1.74	0.346	0.290	0.500	0.028	0.133	9.9	4.8	C
122904	B 9	8.7	7.1	12.7	0.81	4.1	2.85	0.343	0.279	0.500	0.032	0.163	16.3	5.1	C
123004	B 9	8.8	7.0	12.7	0.91	4.7	4.55	0.346	0.274	0.500	0.036	0.184	26.0	5.1	C
123104	B 9	8.9	6.9	12.7	1.02	5.4	6.53	0.350	0.270	0.500	0.040	0.212	37.3	5.3	C
123204	B 9	8.8	6.4	12.7	1.22	6.4	15.46	0.346	0.250	0.500	0.048	0.252	88.3	5.3	C
123304	B 9	9.0	6.2	12.7	1.42	7.8	26.61	0.354	0.242	0.500	0.056	0.308	151.9	5.5	D
123404	B 9	8.8	5.5	12.7	1.63	9.3	50.04	0.346	0.218	0.500	0.064	0.368	285.7	5.8	D
B9-3037-2M	B 9	9.0	7.4	15.0	0.81	4.5	2.20	0.354	0.290	0.591	0.032	0.179	12.5	5.6	C
B9-3040-2M	B 9	9.0	7.2	15.0	0.91	5.4	3.31	0.354	0.282	0.591	0.036	0.214	18.9	6.0	C
B9-3043-2M	B 9	9.0	7.0	15.0	1.02	6.3	4.89	0.354	0.274	0.591	0.040	0.250	27.9	6.2	C
B9-3045-2M	B 9	9.0	6.8	15.0	1.12	7.3	7.13	0.354	0.266	0.591	0.044	0.285	40.7	6.5	C

All characteristics are nominal